

2. PRIBOR G80 I G100 G80 and G100 accessories


2.1. Pribor G80

Ovjesna alka G80 RX033 (A343)

Master link A343 G80

Nosivost (t)	A (mm)	B (mm)	D (mm)	Težina (kg/ kom)
WLL				Weight
1.6	110	60	13	0.34
2.12	110	60	16	0.54
3.15	135	75	18	0.82
5.3	160	90	22	1.5
8	180	100	26	2.3
11.2	200	110	32	3.95
14	260	140	36	6.34
17	300	160	40	8.96
21.2	340	180	45	12.8
31.5	350	190	50	16.55
45	400	200	56	23.28
56	430	220	63	32
63	460	250	72	45.76
85.46	500	270	80	62

2.1 2.2 CE BL




• EN 1677-1

Ovjesna alka u garnituri G80 RX094 (A347)

Master link assembly G80

Nosivost užeta (t)	A (mm)	B (mm)	D (mm)	a (mm)	b (mm)	d (mm)	s (mm)	Težina (kg/ kom)
WLL rope								Weight
2,4	100	60	14	85	40	12	6	0.82
3,2	160	90	18	100	60	14	7.6	1.6
5	160	90	20	100	60	14	7.6	1.95
8	180	100	22	150	70	18	8.4	3.16
12,0	270	140	28	160	90	22	13.5	6.75
17,4	270	140	32	180	100	25	16.5	9.31
21,2	300	160	40	270	140	31	19	18.4
26	340	180	45	285	155	36	22	26.6
31	350	190	51	340	180	45	25	42.91

2.1 2.2 CE BL




• EN 1677-1

Ovjesna alka u garnituri G80 RX488 (A346)

Master Link Assembly G80

Nosivost (t)	A (mm)	B (mm)	D (mm)	a (mm)	b (mm)	d (mm)	Težina (kg/ kom)
WLL							Weight
2.36	135	75	18	54	25	13	1.18
3.15	135	75	18	60	38	13	1.24
4.25	160	90	22	70	64	16	2.2
6.7	180	100	26	85	40	18	3.4
11.2	200	110	32	115	50	22	6.1
17	260	140	36	140	65	26	9.98
21.2	340	180	45	180	100	32	18.9
26.5	350	190	50	180	100	32	22.6
31.5	350	190	50	180	100	36	25.2
45	400	200	56	180	100	40	35.2
50	430	220	63	180	100	45	47
63	460	250	72	200	110	50	66.46

2.1 2.2 CE BL



• EN 1677-1